



# INSULFLEX<sup>®</sup>

**Product: Odourless End Dip™**

**MATERIAL SAFETY DATA SHEET**



## 1. Chemical product and Company identification

Emergency contact:	ADL Insulflex, Inc. (address & emergency phone numbers - Page 4)
Revised:	June 2008
Chemical family:	Silicone rubber
Formula:	Proprietary mixture
Product description:	Liquid silicone rubber

## 2. Composition / Information on ingredients

Product Composition CAS Reg. No.	Approx. % Wt.	ACGIH TWA	TLV STEL	OSHA TWA	PEL STEL	Units
<b>A. HAZARDOUS</b>	<b>NONE FOUND</b>					
<b>B. NON HAZARDOUS</b>						
Polydimethylsiloxane Silanol terminated 70131-67-8	25-50	N/E	15	N/E	N/E	N/A
Trade secret component Polydimethylsiloxane Trimethyl terminated 63148-62-9	1-5 10-29	N/E -	N/E N/E	N/E -	N/E N/E	N/A N/A
Vinyl oximino silane 2224-33-1	1-5	N/E	N/E	N/E	N/E	N/A
Modified silicone dioxide 68611-44-9	2-12	6	10	6	10	mg/m3
Aminosilane 949-30-2	0-2	N/E	N/E	N/E	N/E	N/A
Petroleum Naptha 64741-65-7	20-50	N/E	N/E	N/E	N/E	
Calcium Caronate 471-34-1	5-35	10	15	5	15	mg/m3

## 3. Hazards identification

Potential health effects Ingestion:	None known
--	------------

Skin Contact:	May cause mild skin irritation. Manufacturing experience has shown that skin hazard is not applicable in this form
Eye Contact:	May cause mild eye irritation.
Inhalation:	None known
Medical conditions aggravated:	None known
Sub-chronic (target organ) effects:	None known
Chronic effects/carcinogenic:	This product or one of its ingredients present 0.1% or more is NOT listed or suspected as a carcinogen by NTP, IARC or OSHA.
Principle routes of exposure:	None known
Other:	This product contains methyloxyaloxanes which <u>can generate formaldehyde upon exposure above 300°C in atmospheres which contain oxygen.</u> Formaldehyde is a skin, eye, and throat irritant.

#### 4. First Aid measures

Ingestion:	None known
Skin:	Wash thoroughly with warm water and non-abrasive soap.
Inhalation:	None known
In case of eye contact:	Flush for 15 minutes with copious quantities of lukewarm water. Seek medical attention if irritation persists.
Note to physician:	None known.

#### 5. Fire Fighting measures

Flash point:	>315°C or 600°F
Method:	COC
Auto-ignition temp.	Unknown
Flammable limits in air – upper %	N/A
Sensitivity to mechanical impact:	No
Sensitivity to static discharge:	No
Extinguishing media:	All standard fire fighting media
Special fire fighting procedures:	None known

#### 6. Accidental Release measures

In case of accidental release/spill:	Scrape up spilled material and place in an inert material for disposal.
--------------------------------------	---

#### 7. Handling and storage

Precautions for handling and storage: Cure only where appropriate ventilation systems exist.

#### 8. Exposure controls / Personal protection

Engineering controls:	None known
Respiratory protection:	None required
Protective clothing:	Cloth gloves
Eye and face protection:	Safety glasses
Other protective measures:	None required

Ventilation: Local exhaust ventilation not required. General mechanical suggested..

## 9. Physical and chemical properties

Boiling point:	N/A
Vapor pressure:	N/A
Vapor density:	N/A
Freezing point:	N/A
Melting point:	N/A
Physical state:	Liquid
Odor:	Mild
% Volatile by volume:	<1
Evaporation rate:	<1
Specific gravity:	1.10
Density: (Kg/M3)	1100
Acid/alkalinity	Unknown
PH:	NA
VOC:	NT
Solubility in water:	Insoluble
Solubility in organic solvents:	Partially soluble in Toluene

## 10. Stability and reactivity

Stability:	Stable
Hazardous polymerization:	Will not occur.
Combustion products:	Carbon dioxide; carbon monoxide; silicone dioxide; formaldehyde.
Conditions to avoid:	None known

## 11. Toxicological information

Product information:	
Acute Oral LD50:	Unknown
Acute Dermal LD50:	Unknown
Acute Inhalation LC50:	Unknown
Ames Test:	Unknown

## 12. Ecological information

Ecotoxicological information:	Unknown
Chemical fate information:	Unknown

## 13. Disposal considerations

Disposal method: User should follow normal methods of disposal in accordance with any governmental regulations.

## 14. Transport information

DOT shipping name:	N/A
DOT Hazard Class:	Not DOT regulated
DOT Label:	N/A
UN/NA Label:	N/A
Placards:	N/A
IATA:	N/A
IMO IMDG code:	N/A

European Class:	
RID (OCTf):	N/A
ADR (ECE):	N/A
RAR (IATA):	N/A

## 15. Regulatory information

SARA Section 302:	None found
SARA (311,312) Hazard Class:	None
SARA (313) Chemicals:	None
CPSC Classification:	NA
WHMIS Hazard Class:	None
Harmonized Code:	3910.00 Silicones in primary form
ECCN:	EAR99
Hazard Rating Systems	
HMIS:	Flammability 1, Reactivity 1, Health 1
NFPA:	Flammability 1, Reactivity 1, Health 1

## 16. Other

Users are advised to ensure that this information is brought to the attention of their employees handling the product. The information given herein is believed to be reliable. However, ADL Insulflex, Inc. makes no warranties as to its accuracy or completeness and disclaims any liability in connection with its use. ADL Insulflex, Inc.'s obligations shall be only as set forth in ADL Insulflex, Inc.'s standard terms and conditions of sale for this product. In no case will ADL Insulflex, Inc. be liable for any incidental, indirect or consequential damages arising out of the sale, resale, use or misuse of the product.

Users of ADL Insulflex, Inc. products should make their own evaluation to determine the suitability of each such product for the specific application and to establish safe handling and installation procedures.

### Induction Melting Repairs Limited

Unit F, Bessemer Road, Attercliffe, Sheffield, South Yorkshire S9 3XN England

Tel: +44 (0)114 244 1001 24 Hours | Fax: +44 (0)114 244 1003

Email: [sales@imr-ltd.co.uk](mailto:sales@imr-ltd.co.uk) | Website: [www.imr-ltd.co.uk](http://www.imr-ltd.co.uk)